Correct Refrigerant Charge

20% increase in COP

+

20% reduction in electric bills

+

60% reduction in refrigerant cost

ARCS



Automatic Refrigerant Charging System

DAIKIN VRV

VRV provides
Heating in winter
Cooling in summer

Glass Buildings are beautiful



桃園時光
TIME BOOKS

DAIKIN

最多
512台室內機

Up to 512 indoor units can be managed by one screen

- Compact & All in One
  小巧且一應俱全
- Full colored Touch Panel screen
  中文彩色觸控螢幕
- Automatic VRV control
  自動控制
- Easy apply to Building Facilities Management
  易於應用在大樓設備的管理

Layout screen (option)

－操作簡單、快速控制－

現場平面式 操作介面

You can also operate on the layout screen



iTM with PPD

電力除算PPD功能

	租戶類型	租用面積	空调容量	使用習慣
租戶A	社保中心	230m^2	19HP	從不加班，設定26℃
租戶B	德國諮詢公司	200m^2	17HP	偶爾加班，設定24℃
租戶C	IT公司	150m^2	12HP	經常加班，設定24℃

按面積分攤



公平的分戶計費!!

按空調用電量分攤



How much does it cost to operate our airport the air-conditioning system?

(c) Copyrights Reserved

How much electricity Does Singapore Changi Airport use?

1,230,000 KWH

per day

(c) Copyrights Reserved

Fatal Attraction

To the

Lowest Capital Cost

(c) Copyrights Reserved

Sustainable buildings with VRV Systems

(c) Copyrights Reserved

京城建設
天峰
VRV S & mini

中鋼集團
中鋼機械行政大樓汰換工程
VRV IV 352HP

美孚建設
台北企業總部園區
VRV IV 11,316HP

合作金庫
合作金庫總行大樓
VRV IV 3,912HP

中華賓士
中華機械總部大樓
VRV IV 2,140HP